

AQC 45 E (STE)

INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 207466

The main features

Temperature adjustment via stepless power control

Corrosion-free copper heating element for longer service life

High pressure and heat resistant copper tank

Complete set optimized for a single shower

5-in-1 shower head with slide bar for convenient height adjustment

Anti-scalding and overheating protection with double action thermostat

Protection from electric shock with Earth Leakage Sensing Device (ELSD)

Protection class IP25 (splash-proof)

Flame-retardant electronic circuit board for extra safety

Automatic on/off control with flow switch

Quick and easy installation

Suitable for operation with low water pressure

Indication of power "ON" via LED light on appliance cover



AQC 35 E (STE)

Product-No.: 207465



| Type | AQC 35 E (STE) | AQC 45 E (STE) |
|----------|----------------|----------------|
| Part no. | 207465 | 207466 |

Technical data

| | | |
|----------------------------|-----------------------------------|-----------------------------------|
| Cold water connection | 1/2 inch | 1/2 inch |
| Electrical fuse protection | ELSD | ELSD |
| Rated output | 3,500 W | 4,500 W |
| Rated current | 15.9 A | 20.5 A |
| Display | Standard | Standard |
| Heating element | Copper tubular | Copper tubular |
| Type | Open outlet | Open outlet |
| Automatic flow switch | true | true |
| Heating material | Copper | Copper |
| Temperature setting | Variable | Variable |
| Temperature control | Output control | Output control |
| Anti-scalding protection | Double acting thermostat | Double acting thermostat |
| Shower accessories | 5-in-1 head shower with slide bar | 5-in-1 head shower with slide bar |
| Colour | white | white |
| IP rating | IP25 | IP25 |
| Shutdown value | 0.8 l/min | 0.8 l/min |

| | | |
|--------------------|-----------|-----------|
| Starting flow rate | 1.3 l/min | 1.3 l/min |
| Depth | 110 mm | 110 mm |
| Height | 360 mm | 360 mm |
| Width | 200 mm | 200 mm |
| Weight | 1.6 kg | 1.6 kg |

Contact information

You have questions? We appreciate to help you:

Call 02-021-9300

Write an email to th-info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.